



LAMEFIP/ENSAM CER de Bordeaux

Production scientifique

Janvier 2005 - Septembre 2008

Publications

Communications

Thèses et Rapports

ACL : Articles dans des revues internationales ou nationales avec comité de lecture répertoriées dans les bases de données internationales (ISI Web of Knowledge, Google Scholar, Harzing Publish or Perish, Pub Med...) *Le facteur d'impact de la revue pourra être indiqué, en précisant la source de données utilisée.*

[ACL 1] N. Fillot, I. Iordanoff, Y. Berthier
Simulation of wear through mass balance in a dry contact.
ASME Journal of tribology, 127:230-237, January 2005.

[ACL 2] L. Guillaumat, F. Baudou, A-M. Gomes de azevedo, J-L. Lataillade.
Contribution of the experimental designs for a probability dimensioning of impacted composites.
International Journal of Impact Engineering, 31(6):629-641, 2005.

[ACL 3] I. Iordanoff, N. Fillot, Y. Berthier.
Numerical study of a thin layer of cohesive particles under plane shearing.
Powder Technology, 159 (1):pp. 46-54, 2005.

[ACL 4] G. List, M. Nouari, D. Gehin, S. Gomez, J-P. Manaud, Y. Le petitcorps,
F. Girot. Wear Behaviour of Cemented Carbide Tools in Dry Machining of Aluminium Alloy.
Wear, Volume 259(Issues 7-12):pp.1177-1189, 2005.

[ACL 5] M. Nouari and A. Molinari.
Experimental verification of a diffusion tool wear model using a 42CrMo4 steel with an uncoated cemented tungsten carbide at various cutting speeds.
Wear, Volume 259(Issues 7-12):pp. 1151-1159, August 2005.

[ACL 6] M. Nouari, G. List, F. Girot, D. Gehin.
Effect of machining parameters and coating on wear mechanisms in dry drilling of aluminium alloys.
International Journal of Machine Tools and Manufacture, Volume 45(Issues 12-13):pp. 1436-1442, October 2005.

[ACL 7] O. Plekhov, T. Palin-Luc, N. Saintier, S. Uvarov, O. Naimark.
Fatigue crack initiation and growth in a 35CrMo4 steel investigated by infrared thermography.
Fatigue and Fracture of Engineering Materials and Structures, 28:169-178, 2005.

[ACL 8] F. Dau, O. Polit, M. Touratier.
C1 plate and shell finite elements for geometrically non linear analysis of multilayered structures.
Computers & Structures, Vol. 84, Issue 19-20, July 2006, Pages 1264-1274.
Computational Models for Multilayered Structures and Composite Structures

[ACL 9] Ph. Viot, F. Beani, J-L. Lataillade.
Polymeric Foam behaviour under dynamic compressive loading.
Journal of Materials Science, 40:5829-5837, 2005.

[ACL 10] H.A. Abdel-Aal, M. Nouari, M. El Mansori, A. Ginting
Conceptual tribo-energetic analysis of cutting tool protective coating delamination in dry cutting of hard-to-cut aero engine alloys.
International journal of advanced manufacturing technology, ISSN 0268-3768, Vol. 36, N°. 3-4, 2008, pp. 213-225.

[ACL 11] T. Delahay, T. Palin-Luc.
Estimation of the fatigue strength distribution in high-cycle multiaxial fatigue taking into account the stress-strain gradient effect.
International Journal of Fatigue, 28(5-6):474-484, May 2006.

[ACL 12] A. Ginting and M. Nouari.

Experimental and numerical studies on the performance of alloyed carbide tool in dry milling of aerospace material.

International Journal of Machine Tools and Manufacture, 46:pp. 758-768, September 2006.

[ACL 13] A. Ginting and M. Nouari.

A study on tool performance to determine the optimal cutting conditions for dry end milling of an aeroengine material: Ti-6242S.

International Journal of Materials and Product Technology, A para-tre:12 pages, December 2006.

[ACL 14] L. Guillaumat and Z. Hamdoun.

Reliability modelling of drilled composite structures.

Composites structures, Volume 74(Issue 4):Pages 467-474, August 2006.

[ACL 15] D. Iliescu, M. Nouari, D. Gehin, F. Girot.

Damage modes of the aeronautic multidirectional carbon/epoxy composite T300/914 in machining.

International Journal of Materials and Product Technology, 2008, VOL 32; NUMB 2/3, pages 118-135

[ACL 16] V. Martinez, D. Coupard, F. Girot.

Constitutive Model of the Alloy 2117-T4 at Low Strain Rates and Temperatures.

Journal of Materials Processing Technology, 173:pp. 252-259, 2006.

[ACL 17] M. Nouari, H. A. Abdel-Aal, M. El Mansori.

Analysis of Coating Delamination Under Extreme Contact Loading.

Tribology Letters, 23:pp. 39-45, September 2006.

[ACL 18] M. Nouari, A. Ginting.

Wear characteristics and performance of multi-layer CVD-coated alloyed carbide tool in dry end milling of titanium alloy.

Surface and Coatings Technology, 200:pp. 5663-5676, September 2006.

[ACL 19] T. Palin-luc, A. Banvillet, J-F. Vittori.

How to reduce the duration of multiaxial fatigue tests under proportional service loadings.

International Journal of Fatigue, 28(5-6):554-563, May 2006.

[ACL 20] N. Saintier, G. Cailletaud, R. Piques.

Multiaxial fatigue life prediction for a natural rubber.

International Journal of Fatigue, 28(5-6):530-539, June 2006.

[ACL 21] N. Saintier, R. Piques, G. Cailletaud.

Crack initiation and propagation under multiaxial fatigue in a natural rubber.

International Journal of Fatigue, 28(1):61-72, January 2006.

[ACL 22] P. Viot and D. Bernard.

Impact test deformations of polypropylene foam samples followed by microtomography.

Journal of Materials Science, 41(4):1277-1279, February 2006. ISSN 0022-2461.

[ACL 23] R. Bouix, P. Viot, J.L. Lataillade.

Polypropylene foam behaviour under dynamic loadings : strain rate, density and microstructure effects.

International Journal of Impact Engineering, doi:10.1016/j.ijimpeng.2007.11.007, 2007.

- [ACL 24] M. El mansori and M. Nouari.
Dry machinability of nickel-based weld-hardfacing layers for hot tooling.
International Journal of Machine Tools and Manufacture, 184(11):pp. 1715-1727, September 2007.
- [ACL 25] N. Fillot, I. Iordanoff, Y. Berthier.
Wear modelling and the Third Body concept.
Wear, 262(n° 7-8), pp. 949-957, 2007.
- [ACL 26] N. Fillot, I. Iordanoff, Y. Berthier.
Modelling third body flows with a discrete element method-a tool for understanding wear with adhesive particles.
Tribology International, Vol. 40 (issue 6), pp. 973-981, June 2007.
- [ACL 27] C. Froustey, M. Lambert, J.L. Charles, J.L. Lataillade.
Design of an Impact Loading Machine Based on a Flywheel Device: Application to the Fatigue Resistance of the High Rate Pre-straining Sensitivity of Aluminium Alloys.
Experimental Mechanics, 47:709-721, 2007.
- [ACL 28] A. Ginting and M. Nouari.
Optimal cutting conditions when dry end milling the aero-engine material Ti6242S.
International Journal of Materials Processing Technology, 184(1-2):pp. 319-324, April 2007.
- [ACL 29] I. Iordanoff, J.L. Charles, Y. Berthier.
Discrete element model : a helpful tool for abrasion process study.
Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 221(6):1031-1039, 2007.
- [ACL 30] R. Iwasaki, C. Sato, J-L. Lataillade, P. Viot.
Experimental study on the interface fracture toughness of PVB (polyvinyl butyral)/glass at high strain rates.
International Journal of Crashworthiness, 12(3):293-298, 2007. DOI: 10.1080/13588260701442249.
- [ACL 31] L. Lasri, M. Nouari, M. El mansori.
Working parameters effects on machining-induced damage of Fiber-Reinforced Composites: Numerical Simulation Analysis.
International Journal of Materials and Product Technology, A para-tre:15 pages, December 2007.
- [ACL 32] M. Nouari and I. Iordanoff.
Effect of the third body particles on the tool-chip contact and tool wearbehaviour during dry cutting of aeronautic titanium alloys.
Tribology International, 40(9):1351-1359, 2007.
- [ACL 33] O. Plekhov, N. Saintier, O. Naimark.
Experimental Study of Energy Accumulation and Dissipation in Iron in an Elastic-Plastic Transition.
Technical physics, 52(9):1236-1238, 2007.
- [ACL 34] O. Plekhov, N. Saintier, T. Palin-Luc, S-V. Uvarov, O-B. Naimark.
Theoretical analysis, infrared and structural investigations of energy dissipation in metals under cyclic loading.
Material Science Engineering A, 462(1-2):367-369, 2007.

- [ACL 35] D. Richard, I. Iordanoff, Y. Berthier, M. Renouf, N. Fillot.
Friction Coefficient as a Macroscopic View of Local Dissipation.
ASME Journal of tribology, 129:829 Ó 835, October 2007.
- [ACL 36] P. Viot, D. Bernard, E. Plougonven.
Polymeric foam deformation under dynamic loading by the use of the microtomographic technique.
Journal of materials science, 42(17), September 2007. DOI 10.1007/s10853-006-1422-8.
- [ACL 37] P. Viot.
Polymer Foams to Optimize Passive Safety Structures in Helmets.
International Journal of Crashworthiness, Volume 12 Issue 3, 2007, ISSN: 1754-2111 (electronic) 1358-8265 (paper)
- [ACL 38] P. Viot, L. Ballere, L. Guillaumat, J.L. Lataillade.
Scale effects on the response of composite structures under impact loading.
Engineering Fracture Mechanics, Vol. 75 Issue 9, June 2008, pp. 2725-2736
- [ACL 39] L. Ballere, P. Viot, J.L. Lataillade, L. Guillaumat, S. Cloutet.
Damage tolerance of impacted curved panels.
International Journal of Impact Engineering, 2008. Accepté. doi:10.1016/j.ijimpeng.2008.03.004
- [ACL 40] B. Bou said, G. Grau, I. Iordanoff.
On nonlinear rotor dynamic effects of aerodynamic bearings with simple flexible rotors.
Journal of engineering for gas turbines and power, 130 (1)(012503), 2008.
- [ACL 41] M. Calamaz, D. Coupard, F. Girot.
A new material model for 2D numerical simulation of serrated chip formation when machining titanium alloy TA6V.
International Journal of Machine Tools and Manufacture, 48(3-4):275-88, March 2008.
doi:10.1016/j.ijmachtools.2007.10.014.
- [ACL 42] D. Coupard, T. Palin-Luc, P. Bristiel, V. Ji, C. Dumas.
Residual Stresses in surface induction hardening of steels : comparaison between experiment and simulation.
Material Science Engineering A, 487(1-2):328-339, 2008.
- [ACL 43] C. Froustey and J.L. Lataillade.
Influence of large pre-straining of aluminium alloys on their residual fatigue resistance.
International Journal of Fatigue, 30:908-916, 2008.
- [ACL 44] I. Iordanoff, A. Battentier, J. Neauport, J-L. Charles.
A discrete element model to investigate sub-surface damage due to surface polishing.
Tribology International, 41:957-964, November 2008.
- [ACL 45] I. Iordanoff, B. Bou said, A. Meziane, Y. Berthier.
Effect of internal friction in the dynamic behavior of aerodynamic foil bearings .
Tribology International, 41(5):387-395, January 2008.
- [ACL 46] D. Richard, I. Iordanoff, M. Renouf, Y. Berthier.
Thermal Study of the Dry Sliding Contact With Third Body Presence.
ASME Journal of Tribology, 130:10 pages, 2008.

[ACL 47] P. Viot, I. Iordanoff, D. Bernard.

Multi-scale description of polymeric foam behaviour : a new approach by discrete element modelling.
Polymer sciences serie a, 50(6), pp. 679-689, 2008.

[ACL 48] J. Tichy, Y. Berthier, I. Iordanoff

A continuum description of dense granular lubrication flow.
ASME Journal of Tribology, 130, 031301 (2008)

[ACL 49] P. Viot and C. Lemaire.

Mise en place d'une plate-forme d'essais pour l'étude dynamique d'amortisseurs automobiles.
Mécaniques & Industrie 6, pp. 655-660, 2005.

[ACL 50] M. Nouari, H. A. Abdel-Aal, M. El mansori, A. Ginting.

Analyse tribo-énergétique du délaminage des couches de revêtements des outils coupants lors d'un usinage à sec des alliages aéronautiques.

Mécanique et Industries, Vol. 8 No. 4 (Juillet-Août 2007), pp. 325-335.

[ACL 51] O.A. Plekhov, O.B. Naimarak, R.Z. Valiev, I.P. Semenova, N. Saintier and T. Palin-Luc

Experimental investigations of anomalous energy absorption in nanocrystalline titanium under cyclic loading conditions.

Tech. Physics Letters, vol. 34, No. 7, pp. 557-560 (2008)

ACLN : Articles dans des revues avec comité de lecture non répertoriées dans des bases de données internationales.

[ACN 1] T. Palin-Luc and F. Morel.

Critical plane concept and energy approach in multiaxial fatigue.
Materialprüfung (Materials Testing), 47 (5)(278-286), 2005.

[ACN 2] M. Lambert, C. Froustey, J.L. Lataillade.

Ténacité dynamique résiduelle suite à un pré-endommagement de fatigue. Application à des alliages d'aluminium des industries du transport.

Recherche Transports Sécurité, 90(5-17), October 2005. 2006 Lavoisier SAS et INRETS.

[ACN 3] F. Cocheteux and J. Benabes.

Vers un dimensionnement des roues en fatigue multiaxiale sous chargements de service.
Revue Générale des Chemins de Fer, (155):25-36, November 2006.

[ACN 4] T. Palin-Luc, N. Saintier

Simulation of the Stress-Strain Gradient Effect to Design Safe Components Against Multiaxial Fatigue.
Materialprüfung (Materials Testing), Vol. 49 (7-8), pp. 370-377, 2007.

[ACN 5] P. Viot, D. Bernard, E. Plougonven

Développement d'une méthodologie pour l'étude des déformations de mousse polymère sous compression dynamique. Utilisation de la microtomographie.

Revue des Composites et des Matériaux Avancés, 17 (n°1), pp.923-, 2007. ISBN 978-2-7462-1772-0.

[ACN 6] P. Viot, K. Shankar, D. Bernard

Effect of strain rate and density on dynamic behaviour of syntactic foam.

Jnl. Of Composite Structures part A, in press, accepted manuscript, available online 25 July 2008.

Doi:10.1016/j.compstruct.2008.07.021

[ACN 7] P. Poisson, P. VIOT, J. Petit

Behaviour under impact, of two ethylene vinyl acetate (EVA) polymers and one elastomer. Application to custom-made mouthguards.

Dental Materials. Accepté le 8 juillet 2008.

INV : Conférences données à l'invitation du Comité d'organisation dans un congrès national ou international.

[INV 1] Key Note Lecture

I. Iordanoff, D. Richard & S. Tcherniaeff

Discrete element method, a tool to investigate contacts in material forming.

ESAFORM 2008, Mini-symposia 18, Wear & Friction in Material Forming.

[INV 2] Key Note Lecture

I. Iordanoff

Modélisation multi-échelle du troisième corps.

8^{ème} Colloque National en Calcul des Structures, 21-25 mai 2007, Giens, Mini-symposium Tribologie Numérique et Contact.

[INV 3] P. Viot, D. Bernard

Description phénoménologique du comportement des matériaux cellulaires sous sollicitations dynamiques.

Journées Matériaux du GDR Biomécanique des chocs, Marseille, mai 2006.

[INV 4] P. Viot

Optimisation des équipements de protection passive à l'usage des sportifs.

RFIS, 6-8 juin 2007, Marseille.

[INV 5] P. Viot

Discrete element modelling of polymeric cellular material.

4th Light Weight Armour Group Meeting, New Materials & Light Armour, Bordeaux, September 2006.

[INV 6] Plenary Session

T. Palin-Luc

Simulation of the stress-strain gradient effect to design safe components against multiaxial fatigue.

STEYR - Von der Betriebsmessung zur Lastannahme, 11-12 october 2006, Austria, 12 pages on CD-Rom,

DVM (DVM-Arbeitskreis Betriebsfestigkeit Weiterbildungsseminar).

[INV 7] P. Viot, D. Bernard

Multi-scale foam behaviour characterization.

Computational Methods & Experiments in Material Characterization III. Bologna, Italia, 12-14 juin 2007.

ISBN 978-1-84564-080-04

[INV 8] Plenary Session

P.C. Paris, T. Palin-Luc

The Behavior of Statically-Indeterminate Structural Members and Frames with Cracks Present.

European Conference on Fracture 17- ECF17, Bron, Czech Republic, 13 pages, on CD-Rom, 2-5

September 2008.

ACT : Communications avec actes dans un congrès international ou national

[ACT 1] L. Ballere, Ph. Viot, L. Guillaumat, J-L. Lataillade.

Similitude law evaluation for composite structures using optical techniques.

In *Materials Characterisation*, pages 239 -249. Wit press, November 2005.

[ACT 2] J. Benabes, T. Palin-Luc, N. Saintier, J-L. Charles, F. Cochetoux.

A volumetric energy based multiaxial fatigue life calculation method.

In *Fatigue Design 2005*, Senlis, France, November 2005.

[ACT 3] R. Bouix, Ph. Viot, J-L. Lataillade.

Caractérisation du comportement de mousses polymériques sous sollicitations dynamiques.

In *17e Congrès Français de Mécanique*, Thème S14 : Mécanique expérimentale des matériaux et des structures, n°402, Troyes, September 2005.

[ACT 4] M. Calamaz, M. Nouari, A. Ginting, F. Giroit, D. Gehin.

Mécanismes d'usure des outils de coupe en usinage à sec de l'alliage aéronautique TA6V.

In CFM 2005, editor, *17ème Congrès Français de Mécanique*, number 180, pages 1-6. Université de technologie de Troyes, September 2005.

[ACT 5] J-L. Charles, T. Palin-Luc, T. Delahay.

Object-oriented environment development to compute multiaxial fatigue criteria.

In *ICF11*, Turin, Italy, March 2005. 6 pages on CD Rom.

[ACT 6] R. Cherrier, L. Guillaumat, F. Cochetoux, T. Chauvin.

Essais de fatigue en cisaillement interlaminaire.

In *14èmes Journées Nationales sur les Composites*, pages 457-465, March 2005. Compiègne.

[ACT 7] F. Dau, F. Pablo, O. Polit.

Study on shell models validity according to geometrical assumptions.

In *8th international Conference on Shell Structures Theory and Applications*, Gdansk-Jurata (Pologne), October 2005.

[ACT 8] F. Dau, O. Polit, M. Touratier.

Un élément fini coque C1 basé sur un modèle raffiné pour l'analyse des structures composites.

In *14ème Journées Nationales Composites (JNC)*, pages 593-601, Compiègne (France), March 2005.

[ACT 9] N. Fillot, I. Iordanoff, Y. Berthier.

Widening classical wear to the concept of third body.

In *Proceeding of the World Tribology Congress III - 2005*, pages pp. 51-52 2, 2005.

[ACT 10] N. Fillot, I. Iordanoff, Y. Berthier.

Widening classical wear laws to the concept of third body.

In *Proceedings of the World Tribology Congress III - 2005*, pages 51 - 52, 2005.

[ACT 11] D. Gehin, G. List, F. Giroit.

Evolution du contact à l'interface outil-copeau en usinage à sec d'un alliage d'aluminium.

In *17ème Congrès Français de Mécanique*, Université Technologique de Troyes, September 2005.

[ACT 12] L. Guillaumat and Z. Hamdoun.

Modélisation probabiliste d'un critère de rupture sur éprouvettes composites percées.

In *Congrès Français de Mécanique*, page cd rom, Troyes, August 2005.

[ACT 13] Z. Hamdoun, L. Guillaumat, J.L. Lataillade.

Influence de la qualité du perçage sur la tenue en fatigue d'un carbone/epoxy.

In *14èmes Journées Nationales sur les Composites*, pages 309-317, Compiègne, March 2005.

- [ACT 14] M. Lambert, C. Froustey, J.L. Lataillade.
Couplage de sollicitations fatigue-choc sur alliage d'aluminium : suivi et mesures de déformations lors de l'essai de traction par choc.
In *17ème Congrès Français de Mécanique - Troyes*, September 2005.
- [ACT 15] G. List, M. Nouari, D. Gehin, S. Gomez, J.P. Manaud, Y. Lepetitcorps,
F. Girot. Wear behaviour of cemented carbide tools in dry machining of aluminium alloys.
In *Wear of Materials 2005*, San Diego, USA., April 2005.
- [ACT 16] M. Nouari, M. Calamaz, A. Ginting, D. Coupard, F. Girot.
Catastrophic failure of straight tungsten carbide when orthogonally dry machining titanium alloy Ti-64.
[ACT 17] In *WOM 2005*, editor, *15th International Conference on WEAR OF MATERIALS*, WEAR OF MATERIALS, pages 1-5, SAN DIEGO, USA, April 2005.
- [ACT 18] T. Palin-Luc, J-F. Flavenot, S. Lasserre, J-L. Charles, Y. Leguernic.
Fatigue strength prediction of shot peened 42CrMo4 steel using multiaxial fatigue criterion and surface roughness correction.
In *24emes Journées de Printemps de la Commission de Fatigue*, pages 24(1)-24(9), Cetim, Senlis, France, May 2005. SF2M.
- [ACT 19] T. Palin-Luc and N. Saintier.
Réduire la durée des essais de fatigue multiaxiale d'amplitude variable sous séquence enregistrée en service.
In *ASTELAB*, October 2005. 25-26 octobre, CNIT, Paris, 12 pages on CD-Rom.
- [ACT 20] T. Palin-Luc and, J-F. Flavenot, S. Lasserre, J-L. Charles and Y. Leguernic
Fatigue strength prediction of a shot peened 42CrMo4 steel using multiaxial fatigue criterion and surface roughness correction.
9th ICSP, In: Shot Peening and other mechanical surface treatments, V. Schulze and A. Niku-Lari editors, IITT International, pp. 229-234, Paris, 6-9 September, 2005.
- [ACT 21] O. Plekhov, O. Naimark, S. Uvarov, T. Palin-Luc, N. Saintier.
Theoretical analysis, infrared and structural investigation of energy dissipation in metals under quasi-static and cyclic loading.
In *10th International symposium on physics of materials*, page 100, August 2005.
- [ACT 22] O. Plekhov, S. Uvarov, T. Palin-Luc, N. Saintier.
Infrared study of fatigue stages: experiment and theoretical analysis.
In *All-Russian scientific conference Non-destructive control and diagnostics*, p. 162, September 2005.
- [ACT 23] M. Salazar garcia, M. Nouillant, P. Viot.
Study and improvement of an high speed jack.
In *Eurodyamat. Journal de physique IV*, 2005. 134 (2006) 775-781.
- [ACT 24] Ph. Viot and D. Bernard.
Polymeric foam behaviour under stopped impact tests : deformation study by micro tomography -.
In *Materials Characterisation*, number ISBN 1-84564-031-4, pages 217 - 227. wit press, November 2005.
- [ACT 25] P. Viot, L. Ballere, L. Guillaumat, J.L. Lataillade.
Scale effects on the response of composite structures under impact loading.
In *EUROMECH 473*, October 2005.

[ACT 26] P. Viot and D. Bernard.

Etude par microtomographie des déformations d'un matériau cellulaire sous sollicitation dynamique.
In *Microstructure et Propriétés des Matériaux*, number ISBN 2 6 85978 - 412 - 8, pages 267 - 272.
Presses de l'ENPC, March 2005.

[ACT 27] Ph. Viot and Ch. Lemaire.

Dynamical characterization of an automotive damper by use of a high speed jack.
In *Eurodyn*, paris, September 2005.

[ACT 28] H. A. aÂl, M. Nouari, M. El mansori, A. Ginting.

On The Relation of Thermal Conduction to Wear of Coated Carbide Tools in Dry Cutting of Aeronautical Alloys.

In A. AÂL, editor, *6th High Speed Machining Conference*. San Sebastian, SPAIN, March 2006.

[ACT 29] L. Ballère, P. Viot, L. Guillaumat, J.L. Lataillade.

Scale effects on impacted composite structure damage.

In *Eurodynat 2006*, number accepté. journal de physiques IV, 2006. non paru.

[ACT 30] J. Benabes, T. Palin-Luc, N. Saintier, J.L. Charles, F. Cocheteux.

An energy based multiaxial fatigue life calculation.

In *Residual fatigue life and life extension on in-service structures JIP 2006*, May 2006.

[ACT 31] J. Benabes, N. Saintier, T. Palin-Luc, J.L. Charles, F. Cocheteux.

An energy based multiaxial fatigue life calculation method taking into account the stress-strain gradient effect.

In *Fatigue 2006*, May 2006, Atlanta, USA, 10 pages. on CD Rom.

[ACT 32] R. Bouix, P. Viot, J.L. Lataillade.

Phenomenological study of cellular material behavior under dynamic loadings.

In *Eurodynat 2006*. Journal de physique IV, 2006. 134 (2006) 109-116.

[ACT 33] F. Cocheteux, J. Benabes, T. Palin-luc, N. Saintier, F. Bumbieler.

Toward the wheels calculation and validation in multiaxial fatigue under service loads.

In *World Congress on Railway Research*, 2006.

[ACT 34] N. Fillot, A-J. Biolan, I. Iordanoff, Y. Berthier.

Le Rôle des Particules Adhésives dans l'Usure d'un Contact Sec.

In *Tribologie et Conception Mécanique*, F. Robbe-Valloire et al. (eds.), Presses polytechniques et universitaires romandes, pages 109 - 124, 2006.

[ACT 35] N. Fillot, I. Iordanoff, Y. Berthier.

Investigation fields of dem wear simulation.

In *Proceedings of STLE/ASME International Joint Tribology Conference*, Proceedings of STLE/ASME, 2006.

[ACT 36] N. Fillot, I. Iordanoff, Y. Berthier.

Investigation fields of dem wear simulation.

In *Proceedings of STLE/ASME International Joint Tribology Conference, IJTC 2006*, 2006.

[ACT 37] A. Ginting, M. Nouari, H. A. aÂl.

Study on surface integrity when dry end milling of Ti-6242S3.

In A. GINTING, editor, *6th High Speed Machining Conference*, number 21-22 March, San Sebastian, SPAIN, March 2006.

- [ACT 38] D. Ilescu, D. Gehin, M. Nouari, F. Girot.
Tool Failure modes in dry machining of the multidirectional carbon/epoxy composite T300/914.
In *Fifth International conference on High Speed Machining*. Metz, FRANCE, March 2006.
- [ACT 39] L. Lasri, M. Nouari, M. El mansori.
Numerical Analysis of Wear Initiation when Machining Aeronautic Fiber-Reinforced Composites.
In M. NOUARI, editor, *9th International Conference on Mesomechanic*, page 6. Agadir, Morocco, 2006.
- [ACT 40] L. Lasri, M. Nouari, M. El mansori.
Analysis of Wear Initiation when Machining Fiber-Reinforced Composites.
In M. NOUARI, editor, *6th High Speed Machining Conference*, volume 21-22 March, San Sebastian, SPAIN, December 2006.
- [ACT 41] N. Ndompetelo, P. Viot, G. Dyckmans, A. Chabotier.
Numerical and Experimental Study of the Impact of Small Caliber Projectiles on Ballistic Soap.
In *Eurodynat 2006*, page accepté. Journal de physique IV, 2006. 134 (2006) 385-390.
- [ACT 42] M. Nouari, H. A. aÂl, A. Ginting.
The effect of coating delamination on tool wear when end milling aerospace titanium alloy Ti-6242S.
In *Fifth International conference on High Speed Machining*. Metz, FRANCE, March 2006.
- [ACT 43] M. Nouari.
Tool wear behaviour under extreme contact loading in machining of aeronautical alloys.
In M. NOUARI, editor, *Workshop-New Features of Machining Processes shown by Aerospace Industry*.
Châlons-en-Champagne, FRANCE, November 2006.
- [ACT 44] F. Plessier, N. Saintier, I. Aubert, J.M. Olive, J.P. Frayret.
Experimental and numerical investigation of the effect of pitting on microplasticity development under fatigue loading in a 316L austenitic stainless steel.
In *Fatigue 2006, Atlanta, USA*, May 2006.
- [ACT 45] F. Plessier, N. Saintier, I. Aubert, J-M. Olive, J-P. Frayret.
Experimental and numerical investigation of the effect of pitting on microplasticity development under fatigue loading in a 316l austenitic stainless steel.
In *Eurocorr2006, Maastricht*, September 2006.
- [ACT 46] E. Plougonven, D. Bernard, P. Viot.
Quantitative analysis of the deformation of polypropylene foam under dynamic crash loading.
In *SPIE optics & photonics, San Diego, USA*, August 2006.
- [ACT 47] P. Viot.
Avant-propos. pour l'amélioration des performances des organes de sécurité passive de nos moyens de transport.
In *Recherhce Transport Sécurité, 90.*, March 2006.
- [ACT 48] P. Viot and I. Iordanoff.
DEM simulation of polymeric cellular material under dynamic loading. .
In *EUROMECH Colloquium 487, Structure Sensitive Mechanics of Polymer MaterIails : Physical and Mechanical Aspects. 10-13 octobre*, October 2006.
- [ACT 49] M. Calamaz, M. Nouari, D. Gehin, F. Girot.
Damage modes of straight tungsten carbide in dry machining of titanium alloy TA6V.
Journal de Physique IV, 134:pp. 1265-1271, March 2006.

- [ACT 50] D. Iliescu, D. Gehin, M. Nouari, F. Girot.
Impact of a diamond coating on tool wear behaviour during dry machining of a multidirectional composite materials. *Journal de Physique IV*, 134:pp. 1201-1206, March 2006.
- [ACT 51] A. Andriyana, N. Saintier, E. Verron.
Multiaxial fatigue life prediction of rubber using configurational mechanics and critical plane methods: a comparative study.
In *European Conference on Constitutive Modeling of Rubber*, September 2007.
- [ACT 52] I. Aubert, F. Plessier, N. Saintier, J.M. Olive.
Effet de l'absorption d'hydrogène sur la localisation de la déformation plastique d'un acier inoxydable 316L.
In *2ème Colloque Matériaux, Mécanique, Microstructures*, June 2007.
- [ACT 53] I. Aubert, F. Plessier, N. Saintier, J.M. Olive.
Modification of plastic strain localization induced by hydrogen absorption.
In *3rd International Conference on Environmental Degradation of Engineering Materials*, May 2007.
- [ACT 54] L. Ballere, P. Viot, L. Guillaumat, J.L. Lataillade.
Residual tensile strength of impacted curved panels.
In *International Conference on Advance Technology in Experimental Mechanics 2007*, JAPAN, September 2007. CD.
- [ACT 55] J. Benabes, N. Sainier, T. Palin-Luc, F. Cochetoux.
An incremental energy based fatigue life calculation method for metallic structures under multiaxial loadings.
Particle and Continuum aspects of mesomechanics, Mesomechanics 2007, G. C. Sih, M. Naït-Abdelaziz and T. Vu-Khanh Editors, ISTE, pp. 83-90, ISBN-13: 978-1-84704-025-1.
- [ACT 56] J. Benabes, N. Saintier, T. Palin-Luc, F. Cochetoux.
Non-local energy based multiaxial fatigue life calculation method under variable amplitude loadings.
In *Proceedings CFM2007*, September 2007.
- [ACT 57] R. Bouix, P. Viot, J.L. Lataillade.
Cellular material behavior characterization.
In *ATEM07 International Conference on Advance Technology in Experimental Mechanics 2007*, Japan, September 2007.
- [ACT 58] M. Calamaz, D. Coupard, M. Nouari, F. Girot.
A Finite Element Model of High Speed Machining of TA6V Titanium Alloy.
In *Sixth International Conference HIGH SPEED MACHINING*, page 5, San Sebastian (Spain), March 2007.
- [ACT 59] L. Chorel, J.L. Charles, P. Viot, I. Iordanoff, E. Laspesa.
Object Oriented approach applied to the development of numerical tools for the design of automotive pyrotechnic equipments.
In *IPASS (International Pyrotechnic Automotive Safety Symposium)*, S7-2, page 277. GTPS, November 2007.
- [ACT 60] C. Dumas, T. Palin-Luc, D. Coupard, P. Bristiel, V. Ji.
Fatigue strength assessment of components treated by surface (superficial) induction hardening.
Metal 2007, 16th International Metallurgical & Material Conference, pages 8, Hradec nad Moravici Czech Republic, 22-24 May 2007.

- [ACT 61] L. Guillaumat, F. Dau, F. Cochetoux, T. Chauvin.
Reliability modeling of impacted composite materials for railways. .
Int. Conference on Composite Materials 16, ICCM'16, Kyoto JAPON, Juillet 2007.
- [ACT 62] C. Froustey, M. Lambert, J.L. Lataillade.
Influence d'une prédéformation par traction sur la tenue résiduelle en fatigue de deux alliages d'aluminium.
In *18ème Congrès Français de Mécanique*, August 2007.
- [ACT 63] T. Palin-Luc, N. Saintier, J.F. Flavenot.
Stress gradient effect in HCF for notched components taking into account cyclic plasticity.
Fatigue-Design 2007, 21-22 Novembre, CETIM, Senlis, France, 8 pages on CD-Rom, 2007.
- [ACT 64] D. Richard, I. Iordanoff, M. Renouf, Y. Berthier.
Thermique des contacts glissants en présence de 3ème corps solide.
In *18e congrès français de mécanique*, August 2007.
- [ACT 65] M. Salazar garcia, P. Viot, M. Nouillant.
Electro hydraulic pre-actuator modelling of an hydraulic jack.
In *Informatics in control, automation and robotics, ICINCO 2007*, page 59, May 2007.
- [ACT 66] J. Tichy, Y. Berthier, I. Iordanoff.
A continuum model for dense third body thin film flow: Interactions with discrete simulations .
In *Proceedings of the ASME/STLE International Joint Tribology Conference*, volume B, pages 1025-1026, October 2007.
- [ACT 67] P. Viot.
A new Apparatus of Dynamic Compression to Identify Cellular Material Behavior. .
In *ATEM'07, Fukuoka JAPON*, September 2007.
- [ACT 68] J-M. Olive, R. Miresmaeili, H. Kanayama, N. Saintier, I. Aubert, F. Plessier.
Simulation of hydrogen-plasticity interactions. The effect of microstructure.
In *International Hydrogen Energy Development Forum 2008*, February 2008.
- [ACT 69] I. Panteleev, O. Naimark, C. Froustey.
Universality of fluctuation statistics under plastic deformation of metals.
In *ECF 17 - Brno, Czech Republic*, September 2008.
- [ACT 70] D. Richard, M. Renouf, I. Iordanoff, Y. Berthier.
La notion de frottement. Étude & Remise en cause par la méthode des éléments discrets.
In *20èmes Journées Francophones de Tribologie*, May 2008.
- [ACT 71] D. Richard, I. Iordanoff, M. Renouf, Y. Berthier.
Friction coefficient as a macroscopic view of local dissipation.
In *Proceedings of the ASME/STLE International Joint Tribology Conference Partie A 2007*, pages pp. 1-4, 2008.
- [ACT 72] P. Viot, K. Shankar, D. Bernard
Effect of strain rate and density on dynamic behaviour of syntactic foam.
Composite Materials & Structures, ICCS 14, 19-21 nov. 2007, Melbourne, Australia.

[ACT 73] L. Chorel, J-L. Charles, P. Viot, I. Iordanoff, E. Laspesa
Object oriented approach applied to the development of numerical tools for the design of automotive pyrotechnic equipments.

IPASS (Int. Pyrotechnic Automotive Safety Symposium), S7-2, page 277. GTPS, nov. 2007.

[ACT 74] P. Viot, A.S. Lesaffre, L. Ballère

Polymeric foam behaviour under dynamic loadings.

Impact Loading of Lightweight Structures, Trondheim, Norway, June 17-19, 2008.

[ACT 75] R. Bouix, P. Viot, J-L. Lataillade, I. Iordanoff

Discrete element modelling of polymeric cellular materials.

Impact Loading of Lightweight Structures, Trondheim, Norway, June 17-19, p. 55, 2008.

[ACT 76] F. Dau, A. Alzina, L. Guillaumat

Uncertainties propagations of composite mechanical properties from micro to macro scale

European Conference on Composite materials 13, ECCM'13, Stockholm SUEDE, Juin 2008

[ACT 77] T. Palin-Luc, N. Saintier, J-L. Charles and J-F. Flavenot

Stress gradient and cyclic plasticity effects in HCF for notched components.

2nd Fatigue Symposium Leoben, Leoben, Austria, 23rd-24th April, 12 pages

[ACT 78] H. Bidouard, T. Palin-Luc, N. Saintier, C. Dumas, C. el Dsoki, H. Kaufmann and C.M. Sonsino
Effects of LCF loadings on the HCF life of notched specimens in ferritic-bainitic steel.

Low Cycle fatigue 6 - LCF6, Berlin, Germany, 6 pages, 8-12 september, 2008.

OS : Ouvrages scientifiques (ou chapitres de ces ouvrages)

[OS 1] T. Palin-Luc (2008) Fatigue sous chargement d'amplitude variable.

In *La fatigue des matériaux et des structures*, Claude Bathias et André Pineau Editors, Hermès éditions, France, Tome I, Vol. 2, chapitre 12, pp. 205-248.

[OS 2] A. Banvillet, T. Palin-Luc and Vittori J-F. (2005) Fatigue life of a SG cast iron under real loading spectra: effect of the correlation factor between bending and torsion.

In *Fatigue testing and analysis under variable amplitude loading conditions*, P.C. Mc Keighan and N. Ranganathan Ed., *ASTM STP 1439*, pp. 567-579.

TH : Thèses soutenues

M. Lambert. *Etude expérimentale de la sensibilité mécanique d'alliages d'aluminium à des chargements cumulés de fatigue et de choc*. N° ordre : 3047, Université de Bordeaux 1 - ENSAM CER de Bordeaux, nov 2005. Directeur : J-L Lataillade - Co-directeur : C. Froustey.

E. Nourry. *Comportement des vitrages feuilletés sous impacts perforants*. Spécialité mécanique n° d'ordre 2005-03, ENSAM de Bordeaux-Talence, mars 2005. Soutenue le 15 Mars.

T. Croston. *Etude expérimentale du comportement d'une poutre en béton armé en flexion trois points réparée par matériaux composites (approche probabiliste)* sous la direction de Laurent Guillaumat
École nationale supérieure d'arts et métiers (Bordeaux), 2006. 1 vol. (242 p.) 2006ENAM0017

J. Benabes. *Approche énergétique non locale du calcul de durée de vie de structures en fatigue multiaxiale sous chargements d'amplitude variable. Application à une roue de train ferroviaire*. Spécialité : Mécanique, École Nationale Supérieure d'Arts et Métiers - Bordeaux, déc. 2006. Directeurs: Thierry Palin-Luc, Nicolas Saintier ; Convention de partenariat avec la SNCF (AEF). N° d'ordre 2006ENAM 0069

L. Ballère. *Tolérance aux dommages par impacts de structures courbes composites - Effets d'échelles*. Soutenue le 20 mai 2008, LAMEFIP- EA 2727 - ENSAM BORDEAUX, mai 2008. Directeurs : J.L. Lataillade et P. Viot. N° d'ordre 2008ENAM0010.

R. Bouix. *Caractérisation mécanique et modélisation numérique du comportement des mousses polymériques sous sollicitations statiques et dynamiques*. Soutenue le 15 mai 2008, LAMEFIP- EA 2727 - ENSAM BORDEAUX, 2008. Directeurs : J.L. Lataillade et P. Viot. N° d'ordre 2008ENAM0011.

M. Calamaz. *Approches expérimentale et numérique de l'usinage à sec de l'alliage aéronautique TA6V*. PhD thesis, Ecole Doctorale des Sciences Physiques et de l'Ingénieur de l'Université de Bordeaux 1, jun 2008. N° d'ordre: 3605.

D. Richard. *Thermique des contacts avec troisième corps solide : modélisation et compréhension des phénomènes de frottement et de diffusion de la chaleur par la méthode des éléments discrets*. PhD thesis, Ecole Doctorale MEGA, Septembre 2008.